

## A powerful, affordable front-office solution

### Rimage 2000i Product Brief

The Rimage 2000i is the most efficient desktop CD/DVD publisher available. With proven reliability, quality inkjet printing and optional network connectivity, it is easy to see why Rimage is the world leader in on-demand disc publishing.

As easy as 1-2-3, open the box, plug in the cables, turn on the power and you're ready to publish professional looking discs. No components to assemble, no printer to mount or alignments to make. You can put a low cost, high quality desktop CD/DVD publishing solution to work for you in a matter of minutes.



Rimage's optimized two-to-one recorder-to-printer ratio eliminates production bottlenecks and maximizes disc throughput. The integrated LCD display clearly communicates system status information so you're free to focus on other work at the same time you're publishing discs.

### Superior Printing Capability

It's fast, affordable, and easy-to-use, but what really makes the Rimage 2000i printer so powerful is the integrated Hewlett Packard thermal inkjet technology. The 2000i offers unsurpassed ink control and superb color management at resolutions up to 4800 dpi. HP's unique PhotoREt IV color-layering and ColorSmart III color optimization technology create photo realistic images, vivid color output, and extremely sharp text for quality label printing - directly on your disc.

### Low Total Cost of Operation

Speed, reliability, and a large 100 disc input bin - combined with an innovative ink management system - make the Rimage 2000i the leader in price and performance for desktop systems. Create stunning full-color disc labels or fast and efficient black text labels depending on your application needs.

### Rimage 2000i Standard Features

The Rimage 2000i standard features include:

- Two CD/DVD recorders
- 100 disc input bin
- 100 disc output bin
- Integrated thermal inkjet printer with up to 4800 dpi resolution



**Standard System Software Included**

- QuickDisc™** Job creation and submission software application for PCs
- CD Designer™** Disc artwork design software application for PCs
- System Manager** Complete system administration software application to monitor and control the 2000i – automatically notifying you of configuration, job status, consumable levels, and more

Please consult the Rimage web site for complete list of current software modules and options

**Optional Software**

- **OfficeNet Software Suite** – Provides network connectivity and remote client access

Please consult the Rimage web site for complete list of current software modules and options

**Minimum PC requirements**

Unlike other Rimage products, the Rimage 2000i does not have an embedded control center. For customers acquiring an external control center computer for their 2000i, it is important to utilize a computer with the following minimum requirements:

Processor:	Celeron, 2.0 GHz or faster
RAM/Memory:	512 MB
Fixed Storage:	Two 36 GB 7,200 RPM hard drives – for increased performance or DVD-DL disc production, an additional hard drive is recommended
Input/Output:	Use an integrated high speed USB 2.0 port (using a USB expansion port is not recommended due to poor performance)
Graphics:	1024 x 768 screen resolution, 16-bit color

**System Recorder Technology**

Rimage systems often outlast their original optical recorders. When a system detects recorder performance degradation, the recorder can be taken off-line and the operator is notified. For the model of CD/DVD recorder currently being installed in systems, please contact Rimage Technical Support. As of the date of this document; CD/DVD recorders shipping are 48x CD, 24x DVD-SL, 12x DVD-DL.

### **System CPU and Storage Specifications**

If you are a systems integrator or require additional technical information about OfficeNet Software Suite, minimum CPU requirements, disc drives, RAM or other specifics, please contact Rimage Technical Support.

### **System Throughput Rates**

System throughput is dependent on the amount of data, the location of data, local network speed, the speed of the recorder, the speed of the media, and sometimes the amount of data being used to print the artwork on top of the disc. For specific throughput estimates, please contact Rimage Inside Sales.

### **Optimize your Printer with Rimage Recommended Inkjet Media Kits**

Rimage 2000i systems work the best with ink cartridges and media selected by Rimage for optimum inkjet printing. Rimage Inkjet Media Kits are available from your Rimage supplier and at the Rimage WebShop: <http://rimage.com/shop>.

### **Rimage Maintenance Agreements**

Rimage 2000i systems come with a 12 month hardware warranty. In addition to warranty coverage, Rimage offers a variety of maintenance agreements. Whatever your production needs are, from 24/7 operation to periodic disc publishing, Rimage has a maintenance agreement to meet your need, including:

- **Rapid Exchange:** Next day delivery of replacement components or complete system. Includes business hour phone support and software subscription and support.
- **Exchange:** Four to five business day delivery of replacement components or complete system. Includes business hour phone support. Does NOT include software upgrades.
- **Software Subscription and Support:** The latest software updates, training, and technical phone support

**Specifications**

	<b>Rimage 2000i</b>	
<b>Number of Recorders</b>	2	
<b>Height</b>	21.0 in / 53.3 cm	
<b>Width</b>	15.8 in / 40.0 cm	
<b>Depth*</b> * Allow 3.5 in / 9 cm for cabling	20.0 in / 50.8 cm	
<b>Weight</b>	62.0 lb / 28.1 kg	
<b>Disc Input / Output bin capacities</b>	100 disc input bin / 100 disc output bin	
<b>Power Specifications</b>	100 - 240 VAC; 2.7 Amp; 60/50 Hz	
<b>System Connectors</b>	USB B 2.0 AC Power (grounded)	
<b>Networking Software</b>	Optional: OfficeNet Software Suite	
<b>Certifications</b>	CE / RoHS UL / cUL FCC Class A	C-Tick KCC VCCI Class A
<b>Operating Conditions</b>	60 to 95° F / 16 to 35° C 40 to 80% humidity (non-condensing) 5 to 95° F / -15 to 35° C	

**Rimage Corporation**

7725 Washington Avenue South  
 Minneapolis, Minnesota 55439 USA  
 Toll Free: 800.445.8288  
 Tel: +1.952.944.8144  
 Fax: +1.952.944.7808

**Rimage Europe**

Rimage Europe GmbH  
 Albert-Einstein-Str. 26  
 63128 Dietzenbach, Germany  
 Tel: +49.6074.8521.0  
 Fax: +49.6074.8521.100

**Rimage Asia/Pacific**

Rimage Japan Co., Ltd.  
 2F., WIND Bldg.  
 7-4-8 Roppongi Minato-ku,  
 Tokyo 106-0032 JAPAN  
 Tel: +81.3.5771.7181  
 Fax: +81.3.5771.7185